


## **Rotating Viscometer Thermostatic Bath**

**(BXDW Series|0.03~0.05℃)**



### **Product Description**

Rotating viscometer water bath is a new type of equipment specially produced for material analysis and production inspection . It can place four capillary viscometers at a time with a transparent bath. It adopts PID temperature control technology, which has high temperature stability and is easy to observe. It is suitable for Ubbelohde, Austenite, Pingshi viscosity test and other physical and chemical experiments. The water bath is widely used in petrochemical industry, medicine, chemical fiber, plastics and other industries.

### **Product Features**

1. The split design is helpful to reduce the impact of compressor vibration on the measured sample.
2. The temperature control system adopts PID temperature control technology, and the precision can reach 0.03-0.05 ℃.
3. Big screen LCD display, easy to operate.
4. Over temperature protection system with alarm and automatic cut-off.

### **Application**

The Ubbelohde Viscosity Measuring Bath is suitable for the research departments of petroleum, chemical industry, electronic instruments, physics, chemistry, biological engineering, medical and

health, life science, light industrial food, physical property testing and chemical analysis, as well as the quality inspection and production departments of colleges and universities and enterprises. It is mainly used for material analysis and production inspection in petrochemical, pharmaceutical, chemical fibre, plastics and other industries. Examples of Viscosity Tests and Physical and Chemical Experiments of Ubbelohde, Austenite and Pinghe.

## Technical Specification

Size	BXDW-0506	BXDW-0508
Temperature range ( °C )	-5 ~ 100	-5 ~ 100
Digital resolution ( °C )	0.01	0.01
Temperature fluctuation ( ±°C )	0.03~0.05	0.03~0.05
Cover Size ( mm )	Ø80	Ø130
Size ( mm <sup>3</sup> )	400×400×(190+200)	400×400×(190+200)
Pump Flow(L/min)	6	6
Power Supply ( V/HZ )	220/50	220/50

## Service

1. 12 months warranty for thermostatic water bath.
2. Technical support is also available timely.
3. Reply your enquiry within 24 working hours.
4. OEM is available if the quantity is large.
5. Package and shipping worldwide.