

High Precision Cooling Water Oil Bath

(BEGH Series| Ambient Temperature~300℃)



Product Description

BEGH Series high precision thermostatic oil bath by PID temperature control technology can reach high precision of temperature up to $0.01~^{\circ}\mathrm{C}$. The temperature covers the ranges from ambient temperature to $300~^{\circ}\mathrm{C}$. With the circulating system, the water bath can let the heated liquid flow off from the tank and offer a secondary constant-temperature field. It is widely applied in research institutes, universities, corporate quality control departments and industrial sectors like petroleum, chemical engineering, electronic instruments, physics, chemistry, bio-engineering, medicine and health, life science, light industry and food, materials testing and chemical analysis etc. It can provide the user with a working environment where cold or heat was controlled accordingly.

Product Features

- 1. Wide temperature range: ambient temperature to 100° C, ambient temperature to 200° C, ambient temperature to 300° C according to your needs.
- 2. The computer system is convenient to correct the error between display temperature and actual temperature, and the resolution of temperature correction is up to 0.001 C.
- 3. Suitable for both water and oil bath.
- 4. PID temperature control technology, the optional volatility is \pm 0.01 °C.



- 5. High quality resistant stainless steel liner with volume from 7.5l to 50L is available.
- 6. With internal and external circulation, the secondary thermostatic field can be established to extend the scope of application.
- 7. Big screen LCD display, easy to operate.
- 8. Over temperature protection system with alarm and automatic cut-off.
- 9. RS232 or RS485 communication interface is optional and can realize the remote control.
- 10. The inner groove can be equipped with lifting bracket to adjust the height of special experimental samples.

Application

The high precision water oil bath is suitable for petroleum, chemical industry, electronic instrument, physics, chemistry, biological engineering, medicine and health, life science, light industry and food, physical property testing and chemical analysis and other research departments, colleges and universities, enterprise quality inspection and production departments. For example, the constant temperature of biochemical experiment or sample test, the measurement and calibration of thermometer and platinum resistance, supporting fermentation tank, polarizing apparatus, electrophoresis apparatus, photometer, chromatographic column, rotary viscometer, rotary evaporator, rheometer and so on.

Technical Specification

Model	Temperature Range ℃	Temperature Volatility℃	Digital Resolution (°C)	Tank Size (mm3)	Tank Cover Size (mm2)	Volume (L)
BEGH-6	ambient+10 ~100	0.005~0.01	0.001	250×200×150	190×160	7.5
BEGH-10	ambient+10 ~100	0.005~0.01	0.001	250×200×200	190×160	10
BEGH-15	ambient+10 ~100	0.005~0.01	0.001	300×250×200	235×180	15
BEGH-20	ambient+10 ~100	0.005~0.01	0.001	280×250×300	235×160	20

Contact: sales@buenobiotech.com Fax: +86- 25-51816989

Https://www.buenobiotech.com



BEGH-30	ambient+10 ~100	0.005~0.01	0.001	400×330×230	310×280	30
BEGH-50	ambient+10 ~100	0.005~0.01	0.001	520×320×300	300×350	50
BEGH-6A	ambient+10 ~200	0.005~0.01	0.001	250×200×150	190×160	7.5
BEGH-10A	ambient+10 ~200	0.005~0.01	0.001	250×200×200	190×160	10
BEGH-15A	ambient+10 ~200	0.005~0.01	0.001	300×250×200	235×180	15
BEGH-20A	ambient+10 ~200	0.005~0.01	0.001	280×250×300	235×180	20
BEGH-30A	ambient+10 ~200	0.005~0.01	0.001	400×330×230	310×280	30
BEGH-50A	ambient+10 ~200	0.005~0.01	0.001	520×320×300	300×350	50
BEGH-5D	ambient+10 ~300	0.005~0.02	0.001	240×150×150	150×170	5
BEGH-10D	ambient+10 ~300	0.005~0.02	0.001	250×200×200	190×160	10
BEGH-15D	ambient+10 ~300	0.005~0.02	0.001	300×250×200	235×180	15
BEGH-20D	ambient+10 ~300	0.005~0.02	0.001	280×250×300	235×180	20
BEGH-30D	ambient+10 ~300	0.005~0.02	0.001	400×330×230	310×280	30

Service

1. 12 months warranty for thermostatic water bath.

Contact: sales@buenobiotech.com

Fax: +86- 25-51816989



Fax: +86- 25-51816989

Https://www.buenobiotech.com

- 2. Technical support is also available timely.
- 3. Reply your enquiry within 24 working hours.
- 4. OEM is available if the quantity is large.
- 5. Package and shipping worldwide.

Contact: sales@buenobiotech.com